

to 2 mm of bone loss around the neck of the implant during the first year of functional loading and an annual rate of marginal bone loss (MBL) around 0.2 mm, after the first year.

CONCLUSION

Within the limits of this study, the conclusion that can be drawn from this study is that the use of self osteomizing implants for replacing mandibular posterior teeth has been a highly successful procedure with satisfactory clinical outcomes and low incidence of complications.

CONFLICT OF INTEREST

The authors declare that they have no conflicts of interest.

REFERENCES

- Jayesh RS, Dhinakarsamy V. Osseointegration J. Pharm Bioallied Sci. 2015;7(Suppl 1):S226-S9.
- Parithimarkalaignan S, Padmanabhan TV. Osseointegration: An Update. J Indian Prosthodont Soc. 2013;13:2-6.
- Natali AN, Carniel EL, Pavan PG. Investigation of viscoelastoplastic response of bone tissue in oral implants press fit process. J Biomed Mater Res B Appl Biomater. 2009;91:868-75.
- Greenstein G, Cavallaro J, Romanos G, Tamow D. Clinical recommendations for avoiding and managing surgical complications associated with implant dentistry: A review. J Periodontol. 2008;79:1317-29.
- Chrcanovic BR, Albrektsson T, Wennerberg A. Reasons for failures of oral implants. J Oral Rehabil. 2014;41:443-53.
- Baldi D, Lombardi T, Colombo J, Cervino G, Perinetti G, Di Lenarda R, et al. Correlation between Insertion Torque and Implant Stability Quotient in Tapered Implants with Knife-Edge Thread Design. Biomed Res Int. 2018;2018:7201093.
- McCormack HM, David JD, Saxe J. Clinical applications of visual analogue scales: a review. Psychol Med 1988;18:1007-19.
- Dias DR, Leles CR, Lindh C, Riberio R, Rotta F. The effect of marginal bone level changes on the stability of dental implants in a short-term evaluation. Clin Oral Implants Res. 2015;26:1185-90.
- Burtscher D, Norer B, Dalla Torre D, Begg U, Schubert K, Grunert I. A 7-year prospective radiographic evaluation of marginal bone level around two different implant systems: a randomized clinical trial. Clin Oral Implants Res. 2015;26:1244-9.
- Berberi AN, Sabbagh JM, Aboushelib MN, Noujein ZF, Salameh ZA. A 5-year comparison of marginal bone level following immediate loading of single tooth implants placed in healed alveolar ridges and extraction sockets in the maxilla. Front Physiol. 2014;5:29.
- Kirkpatrick LA, Feeney BC. A simple guide to IBM SPSS statistics for version 20.0. Student ed. Belmont, Calif: Wadsworth, Cengage Learning; 2013.
- Gaviria L, Salcido JP, Guda T, Ong JL. Current trends in dental implants. J Korean Assoc Oral Maxillofac Surg. 2014;40:50-60.
- Fickl S, Zuhr O, Stein JM, Hürzeler MB. Peri-implant bone level around implants with platform switched abutments. Int J Oral Maxillofac Implants. 2010;25:577-81.
- Vissink A, Spijkervet F, Raghoobar GM. The medically compromised patient: Are dental implants a feasible option? Oral Dis. 2018;24:253-60.
- Kandasamy B, Kaur N, Tomar GK, Bharadwaj A, Manual L, Chauhan M. Long-term Retrospective Study based on Implant Success Rate in Patients with Risk Factor: 15-year Follow-up. J Contemp Dent Pract. 2018;19:90-3.
- Ruiz RAD, Guirado JLC, de Val JEM, Moreno GG. Primary stability of dental implants with different thread geometries placed by clinicians with different clinical experience: An in vitro study. J Oral Science Rehabilitation. 2016;2:48-55.
- Kim SK, Lee HN, Choi YC, Heo SJ, Lee CW, Choie MK. Effects of anodized oxidation or turned implants on bone healing after using conventional drilling or trabecular compaction technique: histomorphometric analysis and RFA. Clin Oral Implants Res. 2006;17:644-50.
- Sennerby L. Dental implants: matters of course and controversies. Periodontol 2000. 2008;47:9-14.
- Friberg B, Westubbe A, Sennerby L. Clinical outcome of Branemark system implants of various diameters: a retrospective study. Int J Oral Maxillofac Implants. 2002;17:671-80.
- Jemat A, Ghazali M, Razali M, Otsuka Y. Surface Modifications and Their Effects on Titanium Dental Implants. Biomed Res Int. 2015;2015:791725.
- Alghamdi H, Barone S, Rasmussen AV, Paoli A, Frisardi F, Tullone J. Biomechanical analysis of the press-fit phenomenon in dental implantology: an image-based finite element analysis. Int J Oral Maxillofac Surg. 2012;41:12:8:18.
- Alghamdi H, Chand PS, Anil S. Undersized implant site preparation to enhance primary implant stability in poor bone density: a prospective clinical study. J Oral Maxillofac Surg. 2011;69:506-12.
- Anitua E, Lekhrasat MH, Pinas L, Orive G. Efficacy of biological guided implant site preparation to obtain adequate implant stability. Ann Anat. 2015;199:9-15.
- Alghamdi H, Marin C, Teixeira HS, Campos FE, Gomes JB, Castaldi F, et al. Biomechanical evaluation of undersized drilling on implant biomechanical stability at early implantation times. J Oral Maxillofac Surg. 2013;71:e69-75.
- Marković A, Calvo-Guirado JL, Lazić Z, Gómez-Moreno G, Čalasan D, Guardia J, et al. Evaluation of Primary stability of Self Tapping and Non Self tapping Dental Implants. A 12 week Clinical study. Clin Implant Dent Relat Res. 2013;15:341-9.
- Al-Sudani RJ. Assessment of bone density after six months from dental implants placement using computed tomography. J Baghdad Coll Dent. 2014;26:126-8.
- De Almeida FD, Carvalho AC, Fontes M, Pedrosa A, Costa R, Noleto JW, et al. Radiographic evaluation of marginal bone level around internal-hex implants with switched platform: a clinical case report series. Int J Oral Maxillofac Implants. 2011;26:587-92.
- Jung RE, Zembic A, Pjetursson BE, Zwahlen M, Thoma DS. Systematic review of the survival rate and the incidence of biological, technical, and aesthetic complications of single crowns on implants reported in longitudinal studies with a mean follow-up of 5 years. Clin Oral Implants Res. 2012;23(Suppl 6):2-21.
- Galindo-Moreno P, Leon-Cano A, Ortega-Oller I, Monje A, F OV, Catena A. Marginal bone loss as success criterion in implant dentistry: beyond 2 mm. Clin Oral Implants Res. 2015;26:e28-e34.